

## // PLASMA BIOCATALYSIS

Ref-Nr: TA-5221

### HINTERGRUND

Enzymatic reactions offer the possibility to synthesize new molecules with high selectivity and turnover. Of particular interest are regio- or even stereo-selective oxidation reactions in order to obtain high value compounds. Peroxygenases are valuable biocatalysts to achieve this goal since they use H<sub>2</sub>O<sub>2</sub> through the so called "peroxide shunt pathway", eliminating the need for expensive electron donors, such as flavins or nicotinamide cofactors. However, the industrial application of peroxidases or peroxygenases is limited due to their partial or complete inactivation in the presence of higher concentrations of peroxides. Several strategies have been developed in order to supply low concentrations of H<sub>2</sub>O<sub>2</sub> in situ. However, all of these known methods are either inefficient or require the addition of extra components to the reaction, making them less efficient and more expensive.

### LÖSUNG

The present invention provides a solution to this challenge. A plasma device is employed to produce H<sub>2</sub>O<sub>2</sub> in an aqueous solution in situ. The "activated" solution is guided to immobilized peroxidases or peroxygenases where the actual enzymatic oxidation of the substrate takes place. The inventors can show that selectivity of the enzymes is retained and stability of the immobilized enzyme is high.

Employing UPO from the fungus *Agrocybe aegerita* as oxygenase and ethylbenzene as substrate, the inventors could show feasibility of this approach.

**PRO** *vendis*  
we market innovation

PROvendis GmbH

Dr. Wolfram Schleich  
+49.208 94105-35  
ws@provendis.info  
www.provendis.info

### ENTWICKLUNGSSTAND


Funktionsnachweis

### PATENTSITUATION

EP anhängig  
US anhängig

### CATEGORIES

//Chemie //Synthesen und  
Verfahrenstechnik



General scheme of the plasma-driven H<sub>2</sub>O<sub>2</sub> generation and the subsequent biocatalysis.

## VORTEILE

- New access to enzymatic oxidations in aqueous solution
- Selectivity of enzyme is retained
- Control over H<sub>2</sub>O<sub>2</sub> concentration through control of plasma discharge
- Works with immobilized enzyme

## ANWENDUNGSBEREICHE

The present invention is available for licensing and further co-development.

## SERVICE

The invention has been validated in a relevant environment and achieves a TRL 4. A patent application has been filed; WO 2020/007576 A1.

## PUBLIKATIONEN & VERWEISE

A. Yayci, A. Baraibar, M. Krewing, E. Fernandez Fueyo, F. Hollmann, M. Alcalde, R.

Kourist, J. Bandow, Plasma-driven in situ production of hydrogen peroxide for biocatalysis, ChemSusChem 13, 2072 (2020).

A. Yayci, T. Dirks, F. Kogelheide, M Alcalde, F. Hollmann, P. Awakowicz, J. Bandow, Microscale atmospheric pressure plasma jet as a source for plasma-driven biocatalysis, ChemCatChem, DOI 10.1002/cctc.202001225 .

---